Electrical – INDIA Lighting Fixtures



High Quality Finish

Faster Color Change

Repeatable Results


Installation Key Data - Line 1

Parts:Electrical FixturesPart Size:0.8M (H) x 0.3M (W)

Conveyor Speed: 1.8m/min


Scope of Delivery :

1 x MagicCompact[®] EquiFlow[®] BA04
2 x ZA07-13 / XT10 reciprocators
1 x OptiCenter OC02 with OptiSpray AP01 Application Pumps
1 x MagicControl 4.0 (CM40) with light barrier
1x OptiFlex[®] Automatic AS06 –for 14 guns
12 x OptiGun[®] GA03
2 x OptiSelect[®] GM03
1 x 12000 Nm3/hr after filter & cyclone
Fire Fighting System





2





3







Installation Key Data - Line 2

Parts:	Electrical Fixtures
Part Size:	0.4M (H) x 0.3M (W)
Conveyor Speed:	0.6m/min (Floor Conveyor)

Scope of Delivery :

- 2 x MagicPlus Stainless Steel Booth
- 2 x OptiFlex[®] Automatic AS07 for 2 guns
- 2 x OptiGun[®] GA03 for each booth
- 1 x 12000 Nm3/hr after filter
- 2 x Monocyclone

2 x PS2 Sieve

ema






5

Lighting Fixtures / India

Layout - Line 2







6













- Maximum coating coverage of complicated parts
- Higher transfer efficiency
- Reduced powder waste
- Increased flexibility
- Faster color change
- Repeatable results
- Top quality finish
- Higher recovery efficiency



